WEST Search History


Hide Items Restore Clear Cancel

DATE: Monday, July 17, 2006

Hide?	Set Name	Query	Hit Count
	DB=PGPB,	$USPT, USOC, EPAB, JPAB, DWPI, TDBD; \ PLU$	VR = YES; $OP = OR$
Γ	L25	L24 and "normal mode"	4
Γ	L24	L23 and "sleep mode"	11
Γ	L23	L22 and "fingerprint"	1611
	L22	hewlett packard.asn.	98988
Γ	L21	L17 and "normal mode"	0
Γ	L20	L17 and "automatic mode"	0
Γ	L19	L17 and "inactive mode"	0
Γ	L18	L17 and "sleep mode"	0
Γ	L17	L16 and "fingerprint"	55
Γ	L16	ibm.asn.	49039
Γ	L15	L11 and "automatic mode"	1
Γ	L14	L11 and "normal mode"	0
Γ	L13	L11 and "inactive mode"	0
Γ	L12	L11 and "sleep mode"	0
Γ	L11	L10 and "fingerprint"	254
Γ	L10	microsoft.asn.	25882
Γ	L9	L8 and "fingerprint"	2
Γ	L8	acer.asn.	1963
Γ	L7	"inactive mode" near "normal mode"	2
Г	L6	L1 and "fingerprint"	4
Γ	L5	L1 with "fingerprint"	0
<u> </u>	L4	L1 near "fingerprint"	0
Γ	L3	L1 with "authentication"	1
Γ	L2	L1 near "authentication"	0
Γ	L1	"sleep mode" near "normal mode"	164

END OF SEARCH HISTORY

Sign in



Web Results 1 - 10 of about 444 for normal mode, fingerprint, authentication, computer "sleep mode". (0.6

[PDF] MBF200 Solid-State Fingerprint Sensor

File Format: PDF/Adobe Acrobat - View as HTML

authentication. The Fujitsu MBF200 solid-state **fingerprint** sensor is a ... 'sleep' mode and generate an interrupt when a finger is. detected. ... www.fujitsu.com/downloads/MICRO/fma/pdf/mbf200_fs.pdf - Similar pages

Sponsored Links

User Login Problems
Eliminate Lost Passwords for
Computers, Data, Networks

www.Privaris.com

HP Compaq nw9440 Notebook PC - North America/US

QuickSpecs

Sleep mode: 20 mW (max). Power Management, ACPI compliant power management ... hardware-accelerated AES, 802.1x **authentication** types EAP-TLS, EAP-TTLS, ... h18000.www1.hp.com/products/quickspecs/12451_na/12451_na.HTML - 192k - Cached - Similar pages

[PDF] HP Compaq nx9420 Notebook PC

File Format: PDF/Adobe Acrobat - View as HTML

Biometric sensor for fingerprint authentication, ... Idle mode. 3.: 390 mW (nominal).

Sleep mode: 20 mW (max). Power Management ...

h18000 www1 hp.com/products/quickspecs/12427 na/12427 na.PDF - Similar pages

[PDF] Biometric User Authentication

File Format: PDF/Adobe Acrobat - View as HTML

implementation of fingerprint authentication into a notebook computer. Additional

information on this ... System should successfully go into sleep mode. ...

www.intel.com/design/mobile/platform/downloads/FingerprintSensorProductGuidelines.pdf

Similar pages

[PDF] A 500-dpi ac capacitive hybrid flip-chip cmos asic/sensor module ...

File Format: PDF/Adobe Acrobat - View as HTML

In the initial state, the sensor is in sleep mode, ... Fingerprint image from image-sensing

circuits. (a) Automatic gain and. offset normalized image. ...

www.sintef.no/upload/IKT/9032/jssc_12_03.pdf - Similar pages

(PDF) HP Compag nx6320/nc6320 Notebook PCs

File Format: PDF/Adobe Acrobat - View as HTML

Biometric sensor for fingerprint authentication. (standard in all regions other than ... Sleep

Mode. 1.7mA – 3.5mA. Power Management. USB selective suspend ...

www.zebra.ee/Shop/Assets/Documents/12428_div.pdf - Similar pages

[PDF] March '06

File Format: PDF/Adobe Acrobat - View as HTML

biometric readers (fingerprint readers). Other authentication protocols ... go off after a certain amount of time, the iPod will enter sleep mode with you ... www.smmug.org/files/03-06%20SMMUG%20NL.pdf - Similar pages

Public access CPR and AED device - Patent 6690969


The system can be designed to start up as any computerized system, either from a completely un-powered condition or from a sleep mode, in which the computer ... www.freepatentsonline.com/6690969.html - 51k - Cached - Similar pages

Tool Kit Listing v3.3.20

It lets to work on normal mode (fast) and hard mode (more intensive). ... fingerprints that closely look like the target's public key fingerprint. ... www.ussysadmin.com/operator/tools_list.html - 214k - Cached - Similar pages

Telecommunications patents 200505 Telecommunications patents ... 20050113064 - Charge - all mode for calls in telecommunication network : A ... supply of an electric power to a fingerprint authentication unit (60).... www.freshpatents.com/Telecommunications-dt200505ntc455.php - 292k - Supplemental Result - Cached - Similar pages

Try your search again on Google Book Search



Search normal mode, fingerprint, authentica

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2006 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((sleep mode, fingerprint, authentication, computer, normal mode<in>metadata) <or> Your search matched 494970 of 1373978 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

Г

Γ.

Г

((sleep mode, fingerprint, authentication, computer, normal mode<in>metadata) <or

Check to search only within this results set

» Other Resources

(Available For Purchase)

View: 1-25 | 26-5

Top Book Results

Empirical Evaluation Techniques in

Computer Vision

by Bowyer, K. W.; Phillips, P. J.;

Paperback, Edition: 1

Contemporary Cryptology

by Simmons, G. J.; Paperback, Edition: 1

Splash 2

by Buell, D. A.; Arnold, J. M.;

Kleinfelder, W. J.;

Hardcover, Edition: 1

Managing IP Networks

by Aidarous, S.; Plevyak, T.;

Levine, P.; Martins, J.; Stiller, B.; Sherif, M. H.; Fumagalli, A.; Aracil,

J.; Valcarenghi, L.;

Hardcover, Edition: 1

Microsoft Rising

by Lewis, T. G.; Paperback, Edition: 1

View All 163 Result(s)

» Key

IEEE JNL IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

view selected items

Select All Deselect All

1. Design of portable biometric authenticators - energy, performance, and s Hwang, D.D.; Verbauwhede, I.;

Consumer Electronics, IEEE Transactions on

Volume 50, Issue 4, Nov. 2004 Page(s):1222 - 1231

Digital Object Identifier 10.1109/TCE.2004.1362523

AbstractPlus | Full Text: PDF(487 KB) | IEEE JNL

Rights and Permissions

2. A fast and memory efficient approach for fingerprint authentication syste

Allah, M.M.A.; Proceedings. IEEE Conference on Advanced Video and Signal Based Surveilla

15-16 Sept. 2005 Page(s):259 - 263

Digital Object Identifier 10.1109/AVSS.2005.1577277

AbstractPlus | Full Text: PDF(525 KB) IEEE CNF

Rights and Permissions

3. A 500-dpi AC capacitive hybrid flip-chip CMOS ASIC/sensor module for fi navigation, and pointer detection with on-chip data processing

Vermesan, O.; Riisnaes, K.H.; Le Pailleur, L.; Nysaether, J.B.; Bauge, M.; Rus S.; Blystad, L.-C.; Grindvoll, H.; Pedersen, R.; Pezzani, R.; Kaire, D.;

Solid-State Circuits, IEEE Journal of

Volume 38, Issue 12, Dec 2003 Page(s):2288 - 2296

Digital Object Identifier 10.1109/JSSC.2003.819175

AbstractPlus | Full Text: PDF(734 KB) | IEEE JNL

Rights and Permissions

4. Comparing passwords, tokens, and biometrics for user authentication

O'Gorman, L.;

Proceedings of the IEEE

Volume 91, Issue 12, Dec 2003 Page(s):2021 - 2040

Digital Object Identifier 10.1109/JPROC.2003.819611

AbstractPlus | Full Text: PDF(609 KB) | Full Text: HTML | IEEE JNL

Rights and Permissions

5. Biometric cryptosystems: issues and challenges

Uludag, U.; Pankanti, S.; Prabhakar, S.; Jain, A.K.;

Proceedings of the IEEE

Volume 92, Issue 6, June 2004 Page(s):948 - 960

Digital Object Identifier 10.1109/JPROC.2004.827372

<u>AbstractPlus</u> | Full Text: <u>PDF(</u>512 KB) | Full Text: <u>HTML</u> IEEE JNL Rights and Permissions

6. Biometrics: a tool for information security

Jain, A.K.; Ross, A.; Pankanti, S.;

Information Forensics and Security, IEEE Transactions on

Volume 1, Issue 2, June 2006 Page(s):125 - 143

Digital Object Identifier 10.1109/TIFS.2006.873653

AbstractPlus | Full Text: PDF(3016 KB) | IEEE JNL

Rights and Permissions

Г

Г

Г

7. An identity-authentication system using fingerprints

Jain, A.K.; Lin Hong; Pankanti, S.; Bolle, R.;

Proceedings of the IEEE

Volume 85, Issue 9, Sept. 1997 Page(s):1365 - 1388

Digital Object Identifier 10.1109/5.628674

AbstractPlus | References | Full Text: PDF(704 KB) | IEEE JNL

Rights and Permissions

8. Table of contents

Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th

Volume 7, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1404959

Full Text: PDF(2056 KB) IEEE CNF

Rights and Permissions

9. Table of contents

Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th

Volume 6, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1404792

Full Text: PDF(2056 KB) IEEE CNF

Rights and Permissions

10. Table of contents

Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th

Volume 2, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1400122

Full Text: PDF(2056 KB) IEEE CNF

Rights and Permissions

11. Table of contents

Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th

Volume 3, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1400290

Full Text: PDF(775 KB) IEEE CNF

Rights and Permissions

12. Table of contents

Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th

Volume 1, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1399895

Full Text: PDF(775 KB) IEEE CNF

Rights and Permissions

13. Table of contents

<u>Vehicular Technology Conference, 2004. VTC2004-Fall. 2004 IEEE 60th</u> Volume 4, 26-29 Sept. 2004 Page(s):xiii - lxxxvi

Digital Object Identifier 10.1109/VETECF.2004.1400461 Full Text: PDF(784 KB) IEEE CNF Rights and Permissions 14. Platform-based design for an embedded-fingerprint-authentication device Г Schaumont, P.; Hwang, D.; Verbauwhede, I.; Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction Volume 24, Issue 12, Dec. 2005 Page(s):1929 - 1936 Digital Object Identifier 10.1109/TCAD.2005.853709 AbstractPlus | Full Text: PDF(560 KB) IEEE JNL Rights and Permissions 15. A 0.5-V 25-MHz 1-mW 256-kb MTCMOS/SOI SRAM for solar-power-operatpersonal digital equipment - sure write operation by using step-down neg overdriven bitline scheme Shibata, N.; Kiya, H.; Kurita, S.; Okamoto, H.; Tan'no, M.; Douseki, T.; Solid-State Circuits, IEEE Journal of Volume 41, Issue 3, March 2006 Page(s):728 - 742 Digital Object Identifier 10.1109/JSSC.2005.864124 AbstractPlus | Full Text: PDF(2056 KB) IEEE JNL Rights and Permissions 16. Fingerprint Authentication Device Based on Optical Characteristics Insid Sano, E.; Maeda, T.; Nakamura, T.; Shikai, M.; Sakata, K.; Matsushita, M.; Sa-Computer Vision and Pattern Recognition Workshop, 2006 Conference on 17-22 June 2006 Page(s):27 - 27 Digital Object Identifier 10.1109/CVPRW.2006.83 AbstractPlus | Full Text: PDF(320 KB) IEEE CNF Rights and Permissions 17. Digital identity Г Camp, J.L.; Technology and Society Magazine, IEEE Volume 23, Issue 3, Fall 2004 Page(s):34 - 41 Digital Object Identifier 10.1109/MTAS.2004.1337889 AbstractPlus | References | Full Text: PDF(1249 KB) | IEEE JNL Rights and Permissions 18. An Identification System Combined with Fingerprint and Cryptography Hao Li; Peishun Liu; Computer and Computational Sciences, 2006. IMSCCS '06. First International Symposiums on Volume 2, 20-24 April 2006 Page(s):105 - 108 Digital Object Identifier 10.1109/IMSCCS.2006.182 AbstractPlus | Full Text: PDF(160 KB) | IEEE CNF Rights and Permissions 19. Using continuous biometric verification to protect interactive login sessi-Kumar, S.; Sim, T.; Janakiraman, R.; Sheng Zhang; Computer Security Applications Conference, 21st Annual 5-9 Dec. 2005 Page(s):10 pp. Digital Object Identifier 10.1109/CSAC.2005.61 AbstractPlus | Full Text: PDF(480 KB) IEEE CNF Rights and Permissions 20. Authentication gets personal with biometrics Ortega-Garcia, J.; Bigun, J.; Reynolds, D.; Gonzalez-Rodriguez, J.; Signal Processing Magazine, IEEE Volume 21, Issue 2, Mar 2004 Page(s):50 - 62

Digital Object Identifier 10.1109/MSP.2004.1276113 AbstractPlus | Full Text: PDF(761 KB) IEEE JNL Rights and Permissions

21. Parasitic authentication to protect your e-wallet

Ebringer, T.; Thorne, P.; Zheng, Y.;

Computer

Volume 33, Issue 10, Oct. 2000 Page(s):54 - 60 Digital Object Identifier 10.1109/2.876293

AbstractPlus | References | Full Text: PDF(404 KB) | IEEE JNL Rights and Permissions

22. Malware defense using network security authentication

Antrosiom, J.V.; Fulp, E.W.;

Information Assurance, 2005. Proceedings. Third IEEE International Workshop 23-24 March 2005 Page(s):43 - 54

Digital Object Identifier 10.1109/IWIA.2005.11

AbstractPlus | Full Text: PDF(160 KB) IEEE CNF

Rights and Permissions

23. Subject Index **___**

Consumer Electronics, IEEE Transactions on Volume 46, Issue 4, Nov. 2000 Page(s):1185 - 1202 Digital Object Identifier 10.1109/TCE.2000.920477

AbstractPlus | Full Text: PDF(2364 KB) IEEE JNL Rights and Permissions

24. 1997 Index Proceedings Of The IEEE Vols. 83-85

Proceedings of the IEEE

Volume 85, Issue 12, Dec. 1997 Page(s):1 - 47 Digital Object Identifier 10.1109/JPROC.1997.650187

AbstractPlus | Full Text: PDF(1884 KB) | IEEE JNL Rights and Permissions

25. Biometric Authentication for Web-Based Couse Examinations

Auernheimer, B.; Tsai, M.J.;

System Sciences, 2005. HICSS '05. Proceedings of the 38th Annual Hawaii In Conference on

03-06 Jan. 2005 Page(s):294b - 294b

Digital Object Identifier 10.1109/HICSS.2005.120

AbstractPlus | Full Text: PDF(136 KB) | IEEE CNF

Rights and Permissions

View: 1-25 | 26-5

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by inspec*



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

+sleep, +mode, +normal, +authentication, +fingerprint, +com





Feedback Report a problem Satisfaction survey

Found 1
Sleep mode normal authentication fingerprint computer inactive automatic terminal biometric pc 178,880

Sort results

by Display results relevance -

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Relevance scale

Results 1 - 1 of 1

Columns: Risks to the public in computers and related systems

window

Peter G. Neumann

January 2001 ACM SIGSOFT Software Engineering Notes, Volume 26 Issue 1

Publisher: ACM Press

Full text available: pdf(3.24

Additional Information: full citation

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

	L #	Search Text	DBs	Time Stamp	Hits
1	L1	(automatic or sleep) near (mode) near (normal) near (mode)		2006/07/17 15:03	529
2	L2	(inactive or sleep or automatic) near (mode) near (normal) near (mode)	I .	2006/07/17 15:04	560
3	L3	L1 and L2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:04	529

	L #	Search Text	DBs	Time Stamp	Hits
4	L.4	L3 and(authentication) near (fingerprint)		2006/07/17 15:05	0
5	L5	(authentication) near (fingerprint) near (computer or terminal or pc)		2006/07/17 15:05	16
6	L6	L5 and L3		2006/07/17 15:05	0

	L #	Search Text	DBs	Time Stamp	Hits
7	L7	L5 and L2		2006/07/17 15:05	0
8	L8	I.S. and I.1		2006/07/17 15:05	0
9	L9	ibm.asn. and L3		2006/07/17 15:06	0

	L #	Search Text	DBs	Time Stamp	Hits
10	L10	microsoft.asn. and L3		2006/07/17 15:06	0
11	L11	hewlett packard.asn. and L3		2006/07/17 15:06	98320
12	L12	acer.asn. and L3		2006/07/17 15:06	0

	L#	Search Text	DBs	Time Stamp	Hits
13		L5 and (sleep or inactive) near (mode)		2006/07/17 15:07	0
14	L14	L5 and (normal mode)		2006/07/17 15:07	5
15	L15	L14 and (sleep mode)	1	2006/07/17 15:07	4

	L#		Search Text	DBs	Time Stamp	Hits
16	L16	L15 and	(inactive mode)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2006/07/17 15:07	4